



***SCCM Family-Centered Care Guidelines Supplement: Work Tools for
Guideline Implementation
Last Updated 03.08.2020***

The following collaborators participated in the initial creation of this electronic supplement containing tools for guideline implementation:

David Y. Hwang, MD (Task Force Leader)

Assistant Professor of Neurology
Division of Neurocritical Care and Emergency Neurology
Yale School of Medicine
New Haven, CT
david.hwang@yale.edu

Judy E. Davidson, DNP RN FCCM FAAN (Guidelines Writing Group Liaison)

EBP/Research Nurse Liaison
UC San Diego Health
La Jolla, CA

Sarah Kraus, MPH (SCCM Staff)

SCCM Quality and Guidelines Specialist
Mount Prospect, IL

Heather M. Bullard, PharmD BCCCP

Clinical Pharmacy Specialist, Cardiothoracic Surgery
Department of Pharmacy
The University of Chicago Medicine
Chicago, IL

LeeAnn Christie, MSN RN

Critical Care Research Scientist
Dell Children's Medical Center of Central Texas
Austin, TX

Linda S. Franck, RN PhD FRCPCH FAAN

Jack and Elaine Koehn Endowed Chair in Pediatric Nursing
Professor, Department of Family Health Care Nursing
Co-PI, UCSF Preterm Birth Initiative
University of California
San Francisco, CA

Electronic Appendix D: Work Tools

Meg Frizzola, DO

Interim Chief, Division of Critical Care Medicine
Medical Director, Pediatric Intensive Care Unit
Assistant Professor of Pediatrics
Sidney Kimmel Medical College, Thomas Jefferson University
Philadelphia, PA

Serena A. Harris, PharmD BCPS BCCCP

Clinical Pharmacy Specialist, Trauma and Surgical Critical Care
Department of Pharmacy
Eskenazi Health
Indianapolis, IN

Ramona O. Hopkins, PhD

Director, Neuroscience Center
Professor, Psychology and Neuroscience
Brigham Young University,
Provo, Utah

Matthew E. Lissauer, MD

Associate Professor of Surgery
Medical Director, Surgical Critical Care
Program Director, Surgical Critical Care Fellowship
Rutgers-Robert Wood Johnson Medical School
New Brunswick, NJ

Elizabeth Scruth PhD MPH RN CCNS CCRN FCCM

Clinical Practice Consultant, Quality and Regulatory Services
Kaiser Permanente
Oakland, CA

This revision for 2020 updated by:**Matthew Lissauer, MD (revision lead)**

Associate Professor of Surgery
Medical Director, Surgical Critical Care
Program Director, Surgical Critical Care Fellowship
Rutgers-Robert Wood Johnson Medical School
New Brunswick, NJ

Elizabeth Crago, RN, MSN, PhD

University of Pittsburgh
School of Nursing

Ché J Jordan, PharmD, BCCCP

Grand Strand Medical Center
Pharmacy Clinical Manager
Myrtle Beach, SC

Andrew McFadden, MD

Children's Hospital & Medical Center
Omaha, NE

Meena Vohra, MD, MBA

Chief, Dept. of Pediatrics
Clinical Professor of Pediatrics
Medical Director, Pediatric Critical Care
Children's Hospital of Nevada at UMC

Bhagat S. Aulakh, MD, FCCP, CPE

OSF HealthCare
Peoria, IL

Leanne Boehme, PhD, RN, ACNS-BC

Assistant Professor
Vanderbilt University School of Nursing

Mehrnaz Hadian, MD, JD, MSccr, FCCM**Meg Frizzola, DO**

Medical Director, Pediatric Intensive Care Unit
Assistant Professor of Pediatrics
Sidney Kimmel Medical College, Thomas Jefferson University
Philadelphia, PA

Scott May PharmD, BCPS, BCCCP

Connecticut Children's Hospital
Hartford, CT

Jennifer Johnson, APRN

Clinical Redesign Consultant
Yale New Haven Health
New Haven, CT

<i>Work Tool Name</i>	<i>Description</i>	<i>Cost</i>	<i>Internet Link / Reference</i>
-----------------------	--------------------	-------------	----------------------------------

Category 1: Family Presence in the ICU

“Family members of critically ill patients be offered open or flexible family presence at the bedside that meets their needs while providing support for staff and positive reinforcement for staff to work in partnership with families to improve family satisfaction.”

&

“Family members of critically ill patients be offered the option of participating in interdisciplinary team rounds to improve satisfaction with communication and increase family engagement.”

Society of Critical Care Medicine: Learn ICU: Implementing the F Element of the ABCDEF Bundle	Slide deck containing reviews and suggestions on how to incorporate families into all aspects of their loved ones care. Includes strategies for open and flexible visitation, advice to participate on rounds and how to include families, links to literature and a brief summary on family presence during resuscitation as well as suggested references	Free	https://www.sccm.org/ICULiberation/Resources/Implementing-the-F-component-of-the-ABCDEF-bundle
Family-Centered Care in the Pediatric Intensive Care Unit	Guideline promoting family-centered care in the pediatric ICU setting. It Covers family visitation, family-centered rounds, family presence during codes/procedures, and conference.	Free	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3767974/
American Association of Critical Care Nurses (AACN) Practice Alert	Family Presence: Visitation in the Adult ICU: Delineates expected practice of appropriate policies to facilitate family visitation, supporting evidence for open visitation in the ICU, and literature available outside of AACN supporting open visitation and family presence.	Free for download after account created	https://www.aacn.org/clinical-resources/practice-alerts/family-presence-visitation-in-the-adult-icu
Better Together: Partnering with Families	This North American campaign, launched by the Institute for Patient-and-Family-Centered Care and supported by a coalition of Canadian organizations, encourages hospitals to adopt family presence policies. Website includes “change package” of free resources to facilitate 24/7 family presence.	Free: The “change package” includes a link to the AACN Practice Alert above on visitation	https://www.cfhi-fcass.ca/WhatWeDo/better-together/resources

“Family members of critically ill patients be offered the option of being present during resuscitation efforts, with a staff member assigned to support the family”

Society of Critical Care Medicine: Learn ICU: Implementing the F Element of the ABCDEF Bundle	As noted above, slide deck containing reviews and suggestions on how to incorporate families into all aspects of their loved ones care, including presence during codes and resuscitations.	Free	https://www.sccm.org/ICULiberation/Resources/Implementing-the-F-component-of-the-ABCDEF-bundle
Family-Centered Care in the Pediatric Intensive Care Unit	Guideline promoting family-centered care in the pediatric ICU setting. It covers family presence during codes/procedures, in addition to conference family visitation, family-centered rounds.	Free	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3767974/
ENA Clinical Practice Guideline: Family Presence During Invasive Procedures and Resuscitation	Emergency Nurses Association’s guide to family presence during resuscitation. Provides literature review and graded recommendations for implementation of such a program	Free	https://www.ena.org/docs/default-source/resource-library/practice-resources/cpg/familypresencecpg3eaabb7cf0414584ac2291feba3be481.pdf?sfvrsn=9c167fc6_12
American Association of Critical Care Nurses Practice Alert and Tools	Family Presence during Resuscitation and Invasive Procedures : Provides review of current evidence supporting family presence during resuscitation. Provides basic framework for nursing staff to initiate action plan aimed at including families in resuscitative efforts.	Free download after account created	https://www.aacn.org/clinical-resources/practice-alerts/family-presence-during-resuscitation-and-invasive-procedures

Category 2: Family Support

“Family members of critically ill neonates be offered the option to be taught how to assist with the care of their critically ill neonate to improve parental confidence and competence in their caregiving role and improve parental psychological health during and after the ICU stay. [Additional apps to facilitate communication with mechanically ventilated adults are provided below.”

Comforting Your Baby in Intensive Care	Booklet written for parents to help them learn about infant pain and the role parents can play to keep their child comfortable in the NICU, in partnership with the health care team.	Free	https://familynursing.ucsf.edu/comforting-your-baby-intensive-care
--	---	------	---

SmallTalk Intensive Care for iPhone and iPad; Lingraphicare, Inc	Provides a picture-based vocabulary of phrases that patients can use to communicate their needs and feelings, such as “I have chest pain” and “I want a doctor.” Designed for anyone who has difficulty speaking or is unable to speak, due to having a language impairment, not being a native speaker, being intubated, or having a tracheotomy tube.	Free	Available on Apple App store
YoDoc app; Docapps LLC	English and Spanish language app for people on ventilators and/or people with speech impairment due to critical medical condition. Patients can write phrases to be spoken out, draw with their finger to show pain areas and speak out pain level and intensity.	Free for 23 hour trial, then \$4.99 for premium version	Available on Apple and Google app stores.
COPE for Hope, inc. Organization provides evidence-based, family-centered, cost-reducing NICU and PICU programs	Provides on-site training for neonatal ICU staff on how to provide support for NICU parents. Teaches parents how to interact with their preterm infant both in the NICU and after discharge in ways that enhances infant growth and development. Helps parents understand how the NICU unit functions and encourages their active engagement with the NICU staff.	Cost available upon request	http://www.copeforhope.com/index.php

“Family education programs be included as part of clinical care as these programs have demonstrated beneficial effects for family members in the ICU by reducing anxiety, depression, post-traumatic stress, and generalized stress while improving family satisfaction with care.”

SCCM Patient and Family Support Page	SCCM support page for ICU patients and families. Provides education on a variety of ICU topics along with additional outside resource recommendations. Brochures available for .pdf download. These include information on PICS and the THRIVE initiative as noted above	Free	http://www.mycucare.org
SCCM THRIVE	Contains resources to improve patient and family support after critical illness, including connecting with other ICU survivors and/or family members of ICU patients, finding in-person support groups, and providing information on what to expect after discharge. Includes links to Facebook Thrive group and twitter hashtag #Thrive	Free	https://www.sccm.org/MyICUCare/THRIVE
SCCM Patient Communicator App	App which includes tools for patient education including an ICU glossary of terms and a booklet titled “Understanding you ICU stay” in addition to communication and diary tools	Free	Available on the Apple App store and Google Play

COPE for Hope, inc.	Provides on-site training for neonatal ICU staff on how to provide support for NICU parents. Teaches parents how to interact with their preterm infant both in the NICU and after discharge in ways that enhances infant growth and development. Helps parents understand how the NICU unit functions and encourages their active engagement with the NICU staff.	Cost available upon request	http://www.copeforhope.com/index.php
Facilitated Sensemaking	Study article that describes a framework for a clinical nurse specialist providing one-on-one personalized instruction to families of patients regarding the ICU environment, interactions with staff, hospital services, participation in patient care, and self-reflection. A list of suggested items for a “family visiting kit” to supplement the instruction is described as well.	Requires journal access	http://www.ncbi.nlm.nih.gov/pubmed/20234207
Overlooking an Integral Lynchpin of Patient Care: The Caregiver at Home	Describes how critical care nursing can systematically begin and continue to improve family member/surrogate engagement as a team member in their loved ones’ care providing necessary tools for the caregiver at home once a patient is discharged	Free open access	https://www.ncbi.nlm.nih.gov/pubmed/29437073
Neurocritical Care Society Family and Patient Resources	Resource guide that provides overview of neurocritical care unit to families, including members of the team, description of common diseases, and links to patient and family resources.	Free pdf for download or printing	https://www.pathlms.com/ncs-ondemand/courses/1654
CARENET ICU Workbook	A supportive care guide for decision-making in the ICU for family of the intensive care unit patient.	Free	https://www.mycuguide.ca/

“Peer-to-peer support be implemented in NICUs to improve family satisfaction, reduce parental stress, and reduce depression. [It is not known how effective peer-to-peer support is in the adult population, but additional relevant work tools are provided below.]”

SCCM THRIVE	Contains resources to improve patient and family support after critical illness, including connecting with other ICU survivors and/or family members of ICU patients, finding in-person support groups, and providing information on what to expect after discharge. Includes links to Facebook Thrive group and twitter hashtag #Thrive	Free	https://www.sccm.org/MyICUCare/THRIVE
-------------	--	------	---

Share Your Story, March of Dimes	An online community for parents to share their experiences with prematurity, birth defects, or perinatal loss	Free	http://share.marchofdimes.org/
SCCM Patient Communicator App	App which includes links to the PICS Facebook support group in addition to tools for patient education, communication and an ICU diary.	Free	Available on the Apple App store and Google Play
Intensive Care Unit Support Teams for Ex-Patients (ICUsteps)	UK resource to improve the support and care for patients recovering from critical illness and their families, including support groups.	Free	http://icusteps.org

"ICUs provide family with leaflets that give information about the ICU setting to reduce family member anxiety and stress."

SCCM Patient and Family Support Page	SCCM support page for ICU patients and families. Provides education on a variety of ICU topics along with additional outside resource recommendations. Brochures available for .pdf download. These include information on PICS and the THRIVE initiative as noted above	Free	http://www.myicucare.org
AHRQ Guide to Patient and Family Engagement in Hospital Quality and Safety	Provides written material to improve communication between patients, families, and clinicians. Downloadable brochures and handouts for patients and families, as well as informational poster to put in ICU.	Free	https://www.ahrq.gov/professionals/systems/hospital/engagingfamilies/index.html

"ICU diaries be implemented in ICUs to reduce family member anxiety, depression, and post-traumatic stress."

SCCM Patient Communicator App	App which includes an ICU diary in addition to all of the features mentioned in prior sections.	Free	Available on the Apple App store and Google Play
ICU Diary Network	Network for healthcare providers interested in ICU diaries. Resources include diary overview, literature, implementation assistance, and methods for connecting with institutions that utilize an ICU diary.	Free	http://www.icu-diary.org/diary/start.html
Josie King Foundation Care Journal and Patient Journal App	Patients and families can manage healthcare information through a downloadable journal on the website or an app. Prompts the user on key information to remember and potential questions to ask healthcare team.	App is free; fee for journal	http://www.josieking.org/home App available on Apple App Store

		bulk order	
Graham's Foundation MyPreemie App	Downloadable iPhone, iPad, iPod, and Android application for families of premature babies. Provides information which Includes definitions, education, suggested questions, growth charts, diary, and task list.	Free	http://grahamsfoundation.org/resources/the-mypreemie-app/

"Validated decision support tools for family members be implemented in the ICU setting when relevant validated tools exist to optimize quality of communication, medical comprehension, and reduce family decisional conflict."

AHRQ Guide to Patient and Family Engagement in Hospital Quality and Safety	Provides written material to improve communication between patients, families, and clinicians. Downloadable brochures and handouts for patients and families, as well as informational poster to put in ICU.	Free	https://www.ahrq.gov/professionals/systems/hospital/engagingfamilies/index.html
Prolonged Mechanical Ventilation	Appendix for this article contains a pilot-tested decision aid for families of patients who have been mechanically ventilated for longer than 10 days and who are re-evaluating patient goals-of-care. Associated with improved communication, decreased cost, and positive physician reviews. This has been updated to an experimental web format being studied as well	Both available with journal access	http://www.ncbi.nlm.nih.gov/pubmed/22635048 https://www.ncbi.nlm.nih.gov/pubmed/30690645
Ottawa Patient Decision Aid Research Group Life Support Decision Aid	Field-tested paper-based decision aid for families of ICU patients who are making decisions regarding life support versus comfort care.	Free	https://decisionaid.ohri.ca/docs/das/Critically_Ill_Decision_Support.pdf
CARENET Code Status Decision Aid	Paper-based decision aid for deciding on code status, developed by the Canadian Researchers at the End of Life Network.	Free	http://thecarenet.ca/docs/CPR%20Decision%20Aid%20revised%20to%20PDF%20brochure%20Nov%203%202009.pdf

"Among surrogates of ICU patients who are deemed by a clinician to have a poor prognosis, clinicians use a communication approach, such as the "V.A.L.U.E." mnemonic, during family conferences to facilitate clinician-family communication."

"V.A.L.U.E." Pocket Card	Pocket card available for download that lists "V.A.L.U.E." mnemonic for ICU communication with families: value family statements, acknowledge family emotions, listen to family, understand the patient as a person, elicit family questions.	Free	http://depts.washington.edu/eolcare/products/communication-tools/
--------------------------	---	------	---

Category 3: Communication with Family Members

- "Routine interdisciplinary family conferences be used in the ICU to improve family satisfaction with communication and trust in clinicians and to reduce conflict between clinicians and family members."
- "Healthcare clinicians in the ICU should use structured approaches to communication, such as that included in the "VALUE" mnemonic, when engaging in communication with family members, specifically including active listening, expressions of empathy, and making supportive statements around nonabandonment and decision making. In addition, we suggest that family members of critically ill patients who are dying be offered a written bereavement brochure to reduce family anxiety, depression, and post-traumatic stress and improve family satisfaction with communication."

Rhode Island ICU Collaborative Communication Process Measures	Description of "day 1" and "day 3" goals for family communication that a statewide coalition of ICUs targeted for a coordinated ICU communication quality improvement project.	Free with journal access	http://www.ncbi.nlm.nih.gov/pubmed/24060769
Robert Wood Johnson Foundation Palliative Care Quality Measures	Describes a proposed set of quality measures for ICUs to target with respect to palliative care, divided by domains; the majority of the domains relate to communication with and support of the family, with structured goals that should be achieved during an ICU admission.	Free with journal access	http://www.ncbi.nlm.nih.gov/pubmed/17057606 http://www.ncbi.nlm.nih.gov/pubmed/14501954
VHA Care and Communication "Bundle"	Describes "bundle of care" that includes identification of surrogate decision makers and patient preferences, communication timelines, social work, and spiritual support; with performance measurement and feedback.	Free with journal access	http://www.ncbi.nlm.nih.gov/pubmed/16885251
University of Maryland Family Meeting Algorithm	Description of algorithm (e.g., introduction of clinical team, identification of surrogate decision makers and advance directives, palliative care involvement) designed to improve ICU communication, including time-	Free with journal access	http://www.ncbi.nlm.nih.gov/pubmed/24085828

	based checklist (i.e., benchmarks at 24, 72, and 96 hours), as well as triggers to escalate the family communication algorithm.		
--	---	--	--

<i>Healthcare Clinicians' Specific Communication Techniques</i>			
"V.A.L.U.E."	ICU communication with families: value family statements, acknowledge family emotions, listen to family, understand the patient as a person, elicit family questions. Pocket card available at listed website.	Free	http://depts.washington.edu/eolcare/products/communication-tools/
"SPIKES"	Breaking bad news: setup, patient's perception, invitation to share information, knowledge transmission, explore emotions, summarize & strategize	\$26 for book	Buckman, R. <u>How to Break Bad News: A Guide for Health Care Professionals</u> . John Hopkins, 1992.
"NURSE"	Verbal empathy: naming, understanding, respecting, supporting, exploring	\$40 for book Access Medicine gives access to this for free: see the link	Fortin, AH; Dwamena, FC; Frankel, RM; Smith, RC. <u>Smith's Patient-Centered Interviewing: An Evidence-Based Method</u> . McGraw-Hill, 2012. https://accessmedicine.mhmedical.com/book.aspx?bookid=501
"AIDET"	Five fundamentals of service: acknowledge, introduce, duration, explanation, thank you	brief description on landing website; Studer consults on training AIDET into institutions	www.studergroup.com/AIDET
<i>Bereavement Brochure</i>			

Bereavement Support Leaflet, Saint-Louis Teaching Hospital (France)	This appendix to a randomized trial examining the positive effects of a proactive end-of-life conference strategy on long-term adverse psychological outcomes among families contains an extensive brochure that was used in the study to counsel families on bereavement.	Free with journal access	http://www.ncbi.nlm.nih.gov/pubmed/17267907
---	--	--------------------------	---

- ICU clinicians receive family-centered communication training as one element of critical care training to improve clinician self-efficacy and family satisfaction.

<i>Communication Training Programs for Clinicians</i>			
AHRQ Communication Training Slides	Provides definitions of patient and family engagement and overview of communication skills; includes practice exercises in the form of patient/provider scenarios.	Free	http://www.ahrq.gov I couldn't locate these slides on the link above or in my web search for this topic to update this link. To consider deleting this one
Stanford Palliative Care training portal	Website with tools including case study and videos for training clinicians on formulating and communicating prognosis of those patients with life threatening illness	Free	https://palliative.stanford.edu/prognostication/tools-to-improve-the-communicated-prognosis/
Breaking Bad News Foundation	Communication skills training program developed by a neonatologist where physicians and healthcare workers participate in improvisational role-playing sessions with professional actors. Sessions are video-taped and watched remotely by certified instructors. Foundation will work with institutions to fit their local needs.	Costs available upon request	https://bbnprogram.com/
Center to Advance Palliative Care (CAPC)	Formal membership to CAPC includes access to numerous CME/CEU courses.	Costs available	https://www.capc.org/capc-central/courses/

		on request	
DocCom	Comprehensive online program with > 400 video modules demonstrating communication skills. Includes evidence-based recommendations, skills checklists, and assessment questions.	Various costs for individual s/groups	https://www.achonline.org/
Institute for Healthcare Communication	Offers a variety of workshops on communication that includes disclosing unanticipated medical outcomes, end-of-life conversations, and challenging clinician-patient relationships.	Costs available upon request	http://healthcarecomm.org/training/
Vital Talk	Online communication skills courses available for clinicians who work with patients with serious illness and end-of-life care, focused on balancing honesty with empathy.	Costs available upon request	www.vitaltalk.org

Category 4: Use of Specific Consultations and ICU Team Members

- “Proactive palliative care consultation be provided to decrease ICU and hospital length of stay among selected critically ill patients (e.g. advanced dementia, global cerebral ischemia after cardiac arrest, patients with prolonged ICU stay, and patients with subarachnoid hemorrhage requiring mechanical ventilation).”

Identifying Patients in Need of a Palliative Care Assessment in the Hospital Setting	Consensus report from the Center to Advance Palliative Care with consensus criteria for identifying patients who would benefit from palliative care consultation	Free	https://mhcc.maryland.gov/mhcc/page/home/workgroups/documents/pcp/chcf_pca_jpm_article.pdf
Center to Advance Palliative Care – Improving Palliative Care in the ICU Project (CAPC / IPAL)	Resource describing the implementation of screening criteria for palliative care in ICUs. Provides: needs assessment, screening criteria selection, implementation planning, and evaluation tools	Free	https://media.capc.org/filer_public/80/be/80be3587-6ca1-4eb8-93f0-7fa0e30cd153/76_66_ipal-icu-implementing-icu-screening-criteria-for-unmet-palliative-care-needs.pdf
National Consensus Project for Quality Palliative Care Clinical Practice Guidelines	Guidelines provide a “blueprint” upon which to build optimal palliative care. The document comments on the issue of primary vs. consultative palliative care.	Free	http://nationalcoalitionhpc.org/wp-content/uploads/2018/10/NCHPC-NCPGuidelines_4thED_web_FINAL.pdf

- “Ethics consultation be provided to decrease ICU and hospital length of stay among critically ill patients for whom there is a value-related conflict between clinicians and family.”

Joint Professional Societies Statement on Responding to Requests for Potentially Inappropriate Treatments in ICUs	Provides a protocol for early consultation with experts in communication and conflict negotiation, namely ethics or palliative care. It recommends that these practitioners become involved early when conflict is arising, and that they facilitate frequent, effective communication between healthcare providers and the patients and/or their surrogates.	Requires journal access	http://www.ncbi.nlm.nih.gov/pubmed/25978438
---	---	-------------------------	---

- “A psychologist’s intervention be provided to specifically incorporate a multimodal cognitive behavioral technique (CBT)-based approach to improve outcomes in mothers of pre-term babies admitted to the NICU; furthermore, targeted video and reading materials be provided in the context of psychological support to mothers of pre-term babies admitted to the ICU.”

Behavioral Interventions for Mothers of Pre-Term Babies	A manualized 6-session treatment based on trauma-focused cognitive-behavioral therapy that includes: (1) psychoeducation to educate mothers about PTSD and common feelings and thoughts of NICU parents; (2) cognitive restructuring to help mothers recognize and challenge erroneous and maladaptive cognitions; (3) progressive muscle relaxation to reduce anxiety; and (4) development and processing of the mother’s trauma narrative. The intervention has been shown in a single center study to be effective in reducing symptoms of parental trauma, anxiety, and depression in the NICU and at 6-month follow-up.	Requires journal access	http://www.ncbi.nlm.nih.gov/pubmed/23909669
---	--	-------------------------	---

- “Social workers be included within an interdisciplinary team to participate in family meetings in order to improve family satisfaction.”
- “Family navigators (care coordinator or communication facilitator) be assigned to families throughout the ICU stay to improve family satisfaction with physician communication, decrease psychological symptoms, and reduce costs of care and length of ICU and hospital stay.”

Published Training Protocol for ICU “Facilitators”	Describes a protocol for a trained nurse or social worker “communication facilitator” designed to improve psychological distress among family members of critically ill patients, patient length of stay in the intensive care unit and hospital, and costs associated with care and the intervention.	Free with journal access	http://www.ncbi.nlm.nih.gov/pubmed/22772089
The Family Navigator: A pilot intervention to support intensive care unit family surrogates	Pilot study randomizing patients to a family navigator versus no navigator model. Paper includes figures of conceptual model and interventional model for those who wish to implement their own program.	Free	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5117831/

- “Spiritual support from a spiritual advisor or chaplain be offered to families of ICU patients to meet their expressed desire for spiritual care and the accreditation standard requirements.”

Category 5: Operational and Environmental Issues

- “Protocols be implemented to ensure adequate and standardized use of sedation and analgesia during withdrawal of life support.”

Clinical Practice Guidelines and Consensus Statements About Pain Management in Critically Ill End-of-Life Patients: A Systematic Review	Clinical Practice Guideline that provides recommendations for both pain assessment and Pharmacologic and Nonpharmacologic Approaches for Pain Management in Dying Patients in the ICU	Requires Journal Access	https://www.ncbi.nlm.nih.gov/pubmed/31517694
University of Washington Withdrawal of Life Support Orders for Adults	Provides guidance for use of analgesics and sedatives in addition to discontinuation of other therapies not required when <u>adult</u> patients are transitioned to a goal of comfort care. Also describes a set of principles to assist transitioning goals-of-care to promote comfort instead of focusing on disease processes.	Free	http://depts.washington.edu/eolcare/pubs/wp-content/uploads/2011/08/wls-orders2.pdf

- Nurses be involved in decision-making about goals of care and be trained to provide support for family members as part of an overall program to decrease ICU and hospital length of stay and to improve quality of communication in the ICU.

IMPACT-ICU (Integrating Multidisciplinary Palliative Care into the ICU) Online Toolkit	IMPACT-ICU (Integrating Multidisciplinary Palliative Care into the ICU) is a quality improvement and professional development program to integrate palliative care into the ICU by training and supporting bedside nurses. The program was developed and refined in the University of California System. To make the program's core concepts and skills available to others, the IMPACT-ICU faculty created a free online toolkit that includes videos that illustrate the crucial roles of bedside nurses in ICU palliative care and serious illness communication. Downloadable and printable guides facilitate use of the videos for self-study, education sessions, and as part of institutional improvement projects.	Free	http://vitaltalk.org/resources/impact-icu/
--	--	------	---

- Hospitals implement policies to promote family-centered care in the ICU to improve family experience.

Institute for Patient- and Family-Centered Care (work tools for hospital-wide leaders)	Contains links to multiple well-established tools for executives; including "How to Get Started," which details a step-wise plan for hospitals to build partnerships with patients and families; and "Strategies for Leadership," which includes a video, resource guides, and a hospital self-assessment inventory.	Free	https://www.ipfcc.org/resources/downloads.html & https://www.ipfcc.org/resources/downloads-tools.html
Institute for Patient- and Family-Centered Care (work tools for ICU leaders)	Assessment tools that provide teams with a structure for assessing their unit and hospital for the four principles of patient and family-centered care in ten areas.	\$10 each	https://www.ipfcc.org/resources/assessment.html
Planetree international	Non-profit which focuses on helping healthcare organizations become more person and patient-centered through consulting, certification processes, and expert speakers. Endorsed by AHRQ	Costs unknown, contact Planetree	https://www.planetree.org/

Institute for Healthcare Improvement's Transforming care at the bedside	Created to establish "safe and reliable care, vitality and teamwork, patient-centered care and value-added care processes." Includes both a framework as well as a "Healthcare Team Vitality Instrument"	Free	http://www.ihl.org/engage/initiatives/completed/tcab/pages/default.aspx
Patient and family involvement in care of mechanically ventilated patients: Slide presentation	Slide presentation with additional links about improving involvement with mechanically ventilated patients	Free	https://www.ahrq.gov/hai/tools/mvp/modules/cusp/patient-family-care-slides.html

- Given the evidence of harm related to noise, although in the absence of evidence for specific strategies, ICUs implement noise reduction and environmental hygiene practices and use private rooms to improve patient and family satisfaction.

The Center for Health Design, Intensive Care Unit Patient Room	Website with tips and pictures for designing ICU rooms	Significant free content. Log-in required from some content	https://www.healthdesign.org/insights-solutions/design-insights-strategies-tool/intensive-care-unit-patient-room#design-element--14
Intensive Care Unit Design: 25 years of winning trends	Powerpoint presentation given at the European Healthcare Design Congress June, 2016	Presentation free, material maybe copyrighted.	https://europeanhealthcaredesign2017.salus.global/uploads/media/conference_lecture_presentation/0001/02/a99289711acb1296cfdd430ec6ac969ee5ca9a6f.pdf
ACCM Guidelines for Intensive Care Unit Design	Expert opinion on optimal ICU design, including extensive recommendations for designing a "family support zone."	Free	http://www.ncbi.nlm.nih.gov/pubmed/22511137
Recommended Standards for Newborn ICU Design	Expert opinion on optimal neonatal ICU design, including extensive recommendations for family support space.	Free	https://www3.nd.edu/~nicudes/RecommendedNICUStandardsFinal8Aug15.pdf

- Family sleep be considered and families are provided a sleep surface to reduce the effects of sleep deprivation.

Optimizing sleep in the ICU	Literature review on specific methods to help improve sleep hygiene in the ICU. ICU Management & Practice; 18(3), 2018	Free	https://healthmanagement.org/c/icu/suearticle/optimising-sleep-in-the-icu
-----------------------------	--	------	---
